
	<b>EC Declaration of Conformity</b>	No. E50/14351/10	 EN 14351-1	Year of issue <b>11</b>
---	-------------------------------------	---------------------	---	----------------------------

We **FAKRO PP Sp. z o.o.**  
**ul. Węgierska 144a**  
**33-300 Nowy Sącz, Poland**

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: **Roof window type FGH-V P2 Galeria** and flashings intended to be used in domestic and commercial location

Applied harmonized standard: EN 14351-1:2006+A1:2010

<b>Characteristics:</b>		<b>FGH-V P2 Galeria</b>
1&2	Resistance to wind load	Class C4
3	Resistance to snow load	4H-14-33.2 <sup>(1)</sup>
4	Reaction to fire	npd <sup>(2)</sup>
5	External fire performance	npd
6	Watertightness – Non-shielded (A)	E900
8	Impact resistance [mm]	Class 3 – 450 mm
9	Load-bearing capacity of safety device	Threshold value
10	Acoustic performance [dB]	35(-1;-3)
11	Thermal transmittance [W/m <sup>2</sup> K]	1,5
12	Radiation properties - Solar factor	0,51
13	Radiation properties – Light transmittance	0,69
14	Air permeability	Class 3

<sup>(1)</sup> H - external toughened glass

<sup>(2)</sup> npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

Building Research Institute (European Notified Body No 1488), 02-656 Warsaw, 21 Ksawerów Street, Poland

Nowy Sącz, 21.03.2011

**FAKRO<sup>®</sup> PP** Sp. z o.o. <sup>-2-</sup>  
33-300 Nowy Sącz, ul. Węgierska 144a  
tel. 0-18 444-0-444 fax 444-0-333  
NIP 734-28-87-530 Regon 492727063

**Ewa Łukaszczyk-Haslik**  
Kierownik Działu Certyfikacji  
i Kontroli Jakości

