
	<b>EC Declaration of Conformity</b>	No. E08/14351/11	 EN 14351-1	Year of issue <b>11</b>
---	-------------------------------------	---------------------	---	----------------------------

We **FAKRO PP Sp. z o.o.**  
**ul. Węgierska 144a**  
**33-300 Nowy Sącz, Poland**

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: **Roof window type FTS U2, FTS-V U2 and flashings intended to be used in domestic and commercial location**

Applied harmonized standard: EN 14351-1:2006+A1:2010 (annex ZA)

Characteristics:		FTS U2, FTS-V U2
1&2	Resistance to wind load	Class C5 <sup>(1)</sup>
3	Resistance to snow load	4H-16-4 <sup>(2)</sup>
4	Reaction to fire	npd <sup>(3)</sup>
4	External fire performance	npd
5	Watertightness – Non-shielded (A)	Class E900
8	Impact resistance [mm]	Class 3 – 450 mm
9	Load-bearing capacity of safety device	Threshold value
10	Acoustic performance [dB]	32 (-1;-5)
11	Thermal transmittance [W/m <sup>2</sup> K]	1.4
12	Radiation properties - Solar factor	0.62
13	Radiation properties – Light transmittance	0.79
14	Air permeability	Class 3

<sup>(1)</sup> For window width >114 cm or height > 140 cm: npd

<sup>(2)</sup> H- external toughened glass

<sup>(3)</sup> npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic  
Ift Rosenheim (Notified Body No 0757), Theodor-Gietl-Str. 7-9, 83026 Rosenheim, Germany

Nowy Sącz, 19.10.2011

**FAKRO<sup>®</sup> PP** Sp. z o.o. -2-  
33-300 Nowy Sącz, ul. Węgierska 144a  
tel. 0-18 444-0-444 fax 444-0-333  
NIP 734-28-87-530 Regon 492727063

  
**Ewa Łukaszczyk-Haslik**  
Dyrektor ds. Certyfikacji i Kontroli Jakości

Ewa Łukaszczyk-Haslik  
Certification and Quality Control Manager