

EC Declaration of **Conformity**

No. E10/14351/10



Year of issue

We

FAKRO PP Sp. z o.o. ul. Wegierska 144a 33-300 Nowy Sacz, Poland

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: Roof window type FTT U6 and flashings intended to be used in

domestic and commercial location.

Applied harmonized

standard: EN 14351-1:2006+A1:2010

Characteristics:		FTT U6
1&2	Resistance to wind load	Class C5 ⁽¹⁾
3	Resistance to snow load	6H-18-4H-18-33.2 ⁽²⁾
4	Reaction to fire	npd ⁽³⁾
5	External fire performance	npd
6	Watertightness – Non-shielded (A)	E1050
8	Impact resistance [mm]	Class 5 – 950 mm
9	Load-bearing capacity of safety device	Threshold value
10	Acoustic performance [dB]	38 (-1;-4)
11	Thermal transmittance [W/m ² K]	0,81
12	Radiation properties - Solar factor	0,44
13	Radiation properties – Light transmittance	0,59
14	Air permeability	Class 4

⁽¹⁾ For window width >114 cm or height > 140 cm: npd

The name and the address of the notified laboratory:

Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

33-300 Nowy Sacz, ul. Węgierska 144a tel. 0-18 444-0-444 NIP 734-28-87-530 Regon 492727063

fax 444-0-333

Kierownik Działu Certyfikacji i Kentroli Jakosci

Nowy Sacz, 25.10.2010

⁽²⁾ H- toughened glass

⁽³⁾ npd – no performance determined