

	EC Declaration of Conformity	No. E10A/14351/10		Year of issue 10
---	-------------------------------------	----------------------	---	----------------------------

We

FAKRO PP Sp. z o.o.
ul. Węgierska 144a
33-300 Nowy Sącz, Poland

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: **Roof window type FTT U8 Thermo** and flashings intended to be used in domestic and commercial location

Applied harmonized standard:

EN 14351-1:2006+A1:2010

Characteristics:	FTT U8
Resistance to wind load	Class C5 ⁽¹⁾
Resistance to snow load	4H-10Kr-4HT-12Kr-4HT-12Kr-33.2T ⁽²⁾
Reaction to fire	npd ⁽³⁾
External fire performance	npd
Watertightness – Non-shielded (A)	E1050
Impact resistance [mm]	Class 5 – 950 mm
Load-bearing capacity of safety device	Threshold value
Acoustic performance [dB]	38 (-1, -3)
Thermal transmittance [W/m ² K]	0,68
Radiation properties - Solar factor	0,31
Radiation properties – Light transmittance	0,52
Air permeability	Class 4

⁽¹⁾ For window width >114 cm or height > 140 cm: npd

⁽²⁾ H- toughened glass, T – low emission coating, Kr - krypton

⁽³⁾ npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

Nowy Sącz, 25.10.2010

FAKRO[®] PP Sp. z o.o.⁻²⁻
33-300 Nowy Sącz, ul. Węgierska 144a
tel. 0-18 444-0-444 fax 444-0-333
NIP 734-28-87-530 Regon 492727063

Ewa Łukaszczyk-Haslik
Kierownik Działu Certyfikacji
i Kontroli Jakości

