
	EC Declaration of Conformity	No. E22/14351/08	 EN 14351-1	Year of issue 08
-----------------------------------------------------------------------------------	-------------------------------------	---------------------	---------------------------------------------------------------------------------------------------	----------------------------

We **FAKRO Sp. z o.o.**
Węgierska 144a Street
33-300 Nowy Sącz, Poland

hereby declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive concerning Construction Products No. 89/106/EEC and 93/68/EEC.

Product description: **WG (WGI, WGT) roof access window** intended to be used in domestic and commercial locations (in non-habitable loft spaces).

Applied harmonised standard: EN 14351-1:2006

Parameter	WGI	WGT
Resistance to wind load – Test pressure	Class 2	Class 2
Resistance to wind load – Frame deflection	Class B	Class B
Resistance to snow load	4H-10-4H*	4H*
Reaction to fire	npd	npd
External fire performance	npd	npd
Watertightness – Non-shielded (A)	5 A	5 A
Impact resistance [mm]	npd	npd
Load-bearing capacity of safety devices	npd	npd
Acoustic performance [dB]	npd	npd
Thermal transmittance U_w [W/m ² K]	npd	npd
Radiation properties - Solar factor g	0.77	0.86
Radiation properties – Light transmittance	0.81	0.90
Air permeability	Class 1	Class 1


* H - toughened glass
 npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague (notification No. 1390)
 Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

Nowy Sącz, 08.01.2008

 **FAKRO** Sp. z o.o.
 NIP 734-10-01-487 REGON 490908737
 33-300 Nowy Sącz
 ul. Węgierska 144a
 tel. (018) 444-0-444, fax 444-0-333

-3-


Ewa Łukaszczyk-Haslik
 Kierownik Działu Certyfikacji
 i Kontroli Jakości