
	EC Declaration of Conformity	No. E15/14351/11	 EN 14351-1	<i>Year of issue</i> 11
---	-------------------------------------	---------------------	---	-----------------------------------

We **FAKRO PP Sp. z o.o.**
ul. Węgierska 144a
33-300 Nowy Sącz, Poland

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: **Roof window type FP.-V preSelect U3/L3 and flashings intended to be used in domestic and commercial location**

Applied harmonised standard: EN 14351-1:2006+A1:2010 (annex ZA)

Characteristics:		FPP-V U3, FPU-V U3	FPP-V L3, FPU-V L3
1&2	Resistance to wind load	Class C5 ⁽¹⁾	Class C5 ⁽¹⁾
3	Resistance to snow load	4H-16-4 ⁽²⁾	4H-14-33.1 ⁽²⁾
4	Reaction to fire	npd ⁽³⁾	npd ⁽³⁾
4	External fire performance	npd	npd
5	Watertightness – Non-shielded (A)	Class E900	Class E900
8	Impact resistance [mm]	Class 3 – 450 mm	Class 3 – 450 mm
9	Load-bearing capacity of safety device	Threshold value	Threshold value
10	Acoustic performance [dB]	32 (-1;-5)	35 (-1;-3)
11	Thermal transmittance [W/m ² K]	1.3	1.3
12	Radiation properties - Solar factor	0.62	0.52
13	Radiation properties – Light transmittance	0.79	0.69
14	Air permeability	Class 3	Class 3

⁽¹⁾ For window width >94 cm or height > 140 cm: npd

⁽²⁾ H- external toughened glass

⁽³⁾ npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

Nowy Sącz, 19.10.2011

FAKRO® PP Sp. z o.o.⁻²⁻
33-300 Nowy Sącz, ul. Węgierska 144a
tel. 0-18 444-0-444 fax 444-0-333
NIP 734-28-87-530 Regon 492727063

Ewa Łukaszczyk-Haslik
Dyrektor ds. Certyfikacji i Kontroli Jakości

Ewa Łukaszczyk-Haslik
Certification and Quality Control Manager