
	EC Declaration of Conformity	No. E18/14351/10	 EN 14351-1	Year of issue 10
---	-------------------------------------	---------------------	---	----------------------------

We **FAKRO PP Sp. z o.o.**
ul. Węgierska 144a
33-300 Nowy Sącz, Poland

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: **Roof window type PPP-V U3/L3 preSelect** and flashings intended to be used in domestic and commercial location

Applied harmonised standard: EN 14351-1:2006+A1:2010

Characteristics:		PPP-V U3	PPP-V L3
1&2	Resistance to wind load	Class C4 ⁽¹⁾	Class C4 ⁽¹⁾
3	Resistance to snow load	4H-16-4T ⁽²⁾	4HS-14-33.1T ⁽²⁾
4	Reaction to fire	npd ⁽³⁾	npd ⁽³⁾
4	External fire performance	npd	npd
5	Watertightness – Non-shielded (A)	Class E900	Class E900
8	Impact resistance [mm]	Class 3 – 450 mm	Class 3 – 450 mm
9	Load-bearing capacity of safety device	Threshold value	Threshold value
10	Acoustic performance [dB]	31(-1;-3)	33(-1;-4)
11	Thermal transmittance [W/m ² K]	1,3	1,3
12	Radiation properties - Solar factor	0,62	0,52
13	Radiation properties – Light transmittance	0,79	0,69
14	Air permeability	Class 3	Class 3

⁽¹⁾ For window width > 94 cm or height > 140 cm: npd

⁽²⁾ H- toughened glass, T – low emission coating, S - easy maintenance coating

⁽³⁾ npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic

LTB Laboratorium Techniki Budowlanej (nr notyfikacji 1827), 41-306 Dąbrowa Górnicza, ul. Laski 83, Poland

Nowy Sącz, 25.10.2010

FAKRO® PP Sp. z o.o. ⁻²⁻
33-300 Nowy Sącz, ul. Węgierska 144a
tel. 0-18 444-0-444 fax 444-0-333
NIP 734-28-87-530 Regon 492727063

Ewa Łukaszczyk-Haslik
Kierownik Działu Certyfikacji
i Kontroli Jakości

