
	<b>EC Declaration of Conformity</b>	No. E06/14351/11	 EN 14351-1	Year of issue <b>11</b>
---	-------------------------------------	---------------------	---	----------------------------

We **FAKRO PP Sp. z o.o.**  
**ul. Węgierska 144a**  
**33-300 Nowy Sącz, Poland**

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: **Roof window type FT..-V ELECTRO** and flashings intended to be used in domestic and commercial location

Applied harmonized standard: EN 14351-1:2006+A1:2010

Characteristics:		FTP-V U3, FTU-V U3	FTP-V L3, FTU-V L3
1&2	Resistance to wind load	Class C5 <sup>(1)</sup>	Class C5 <sup>(1)</sup>
3	Resistance to snow load	4H-16-4T <sup>(2)</sup>	4H-14-33.1T <sup>(2)</sup>
4	Reaction to fire	npd <sup>(3)</sup>	npd <sup>(3)</sup>
4	External fire performance	npd	npd
5	Watertightness – Non-shielded (A)	9A	9A
8	Impact resistance [mm]	Class 3 -450 mm	Class 3 – 450 mm
9	Load-bearing capacity of safety device	Threshold value	Threshold value
10	Acoustic performance [dB]	32(-2;-5)	35(-1;-3)
11	Thermal transmittance [W/m <sup>2</sup> K]	1,4	1,4
12	Radiation properties - Solar factor	0,62	0,52
13	Radiation properties – Light transmittance	0,79	0,69
14	Air permeability	Class 3	Class 3

<sup>(1)</sup> For window width >114 cm or height > 140 cm: npd


<sup>(2)</sup> H- toughened glass, T – low emission coating

<sup>(3)</sup> npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic  
Ift Rosenheim (Notified Body No 0757), Theodor-Gietl-Str. 7-9, 83026 Rosenheim, Germany

Nowy Sącz, 10.01.2011

**FAKRO<sup>®</sup> PP** Sp. z o.o. <sup>-2-</sup>  
33-300 Nowy Sącz, ul. Węgierska 144a  
tel. 0-18 444-0-444 fax 444-0-333  
NIP 734-28-87-530 Regon 492727063

  
**Ewa Łukaszczyk-Haslik**  
Kierownik Działu Certyfikacji  
i Kontroli Jakości