



| | | | | |
|---|-------------------------------------|---------------------|---|----------------------------|
|  | EC Declaration of Conformity | No. E21/14351/10 |  EN 14351-1 | Year of issue 10 |
|---|-------------------------------------|---------------------|---|----------------------------|

We **FAKRO PP Sp. z o.o.**
ul. Węgierska 144a
33-300 Nowy Sącz, Poland

herewith declare that the product mentioned below corresponds to the relevant basic safety and health requirements of the EU directive 89/106/EEC and 93/68/EEC.

Product description: **Side hung windows type FW.. U3** and flashings intended to be used in domestic and commercial location.

Applied harmonized standard: EN 14351-1:2006+A1:2010

| Characteristics | | FWR U3, FWR/U U3, FWL U3, FWL/U U3 |
|-----------------|--|---------------------------------------|
| 1&2 | Resistance to wind load – Test pressure | Class C5 |
| 3 | Resistance to snow load | 4H-16-4 ⁽¹⁾ |
| 4 | Reaction to fire | npd ⁽²⁾ |
| 5 | External fire performance | npd |
| 6 | Watertightness – Non-shielded (A) | 9A |
| 8 | Impact resistance [mm] | npd |
| 9 | Load-bearing capacity of safety device | Class 4 – 700 mm |
| 10 | Acoustic performance [dB] | 34 (-2;-6) |
| 11 | Thermal transmittance | 1,6 |
| 12 | Radiation properties - Solar factor | 0,62 |
| 13 | Radiation properties – Light transmittance | 0,79 |
| 14 | Air permeability | Class 3 |


⁽¹⁾ H - external toughened glass

⁽²⁾ npd – no performance determined

The name and the address of the notified laboratory: Centre of Building Construction Engineering Prague, (Notified Body Nr. 1390), Palce of work: Zlín, K Cihelně 304, 764 32 Zlín – Louky, the Czech Republic.

Nowy Sącz, 25.10.2010

FAKRO[®] PP Sp. z o.o. ⁻²⁻
33-300 Nowy Sącz, ul. Węgierska 144a
tel. 0-18 444-0-444 fax 444-0-333
NIP 734-28-87-530 Regon 492727063


Ewa Łukaszczyk-Haslik
Kierownik Działu Certyfikacji
i Kontroli Jakości